



Justrite Safety Group

Indoor - Loose Lay Carpet Mats Heavy Duty

# 118 Arrow Trax™





Indoor - Heavy traffic

# 118 Arrow Trax™

The non-directional chevron pattern of the Arrow Trax™ ensures a very aggressive scraping action making it one of our most popular carpet mats offering tremendous value.

The needle punched fibers are durable and crush-resistant for extreme grime retention making it suitable for heavy traffic areas. Dense vinyl backing is moisture resistant and slip resistant to keep the mat in place.

#### Recommended use:

- Heavy traffic
- Loose Lay Carpet Mats
- For placement inside entrances in schools, universities, public buildings, sports facilities, shopping malls

#### Specifications:

- 100% anti-static polypropylene fibres
- Backing: Black vinyl (DOP free)
- Vinyl borders: 2.5 cm on all sides
- Overall thickness: 10 mm
- Weight: 3,7 kg/m<sup>2</sup>
- Fire rating: ASTM D2859 passes DOC-FF-1-70

#### Recommended accessories:

- 083 Bevelled Nosing 2 mm

#### Standard sizes:

- 60 cm x 90 cm
- 90 cm x 150 cm
- 120 cm x 180 cm
- 130 cm x 300 cm
- 130 cm x 600 cm

#### Full rolls:

- 130 cm x 20 m
- 130 cm x 20m
- 200 cm x 20 m

#### Custom lengths:

- 130 cm x linm
- 200 cm x linm

#### Colours:

- Charcoal, Grey, Brown, Autumn Brown

#### Cleaning instructions:

- Vacuum clean




#### PRODUCT TESTING






Charcoal (CH)



Brown (BR)



Grey (GY)

## 118 Arrow Trax™

Art. nr.	Dimensions	Weight kg
118S0023..	60 cm x 90 cm	2,1
118S0035..	90 cm x 150 cm	4,3
118S0046..	120 cm x 180 cm	6,4
118S5110..	130 cm x 300 cm	12,5
118S5120..	130 cm x 600 cm	25
118R0051	130 cm x 20m	102
118R0078..	200 cm x 20 m	156
118C0048..	130 cm x linm	5,1
118C0072..	200 cm x linm	7,8

Colours: Charcoal (CH), Grey (GY), Brown(BR)

# 118 Arrow Trax™

## GENERAL DESCRIPTION

Type	Indoor - Loose Lay Carpet Mats Heavy Duty
Description	Non-directional chevron pattern of the Arrow Trax™ ensures a very aggressive scraping action.
Recommended use	Indoor
Surface	Non-directional chevron pattern
Category	Dust Control Matting Heavy traffic
Colours	Charcoal, Grey, Brown, Autumn Brown
Special remarks	Splicing, seaming not recommended.
Edges	Vinyl borders: 2.5 cm on all sides

## TECHNICAL SPECIFICATIONS

Material	100% anti-static polypropylene fibres
Backing	Black vinyl (DOP free)
Process	Needle punch
Yarn Construction	Needle punched
Pile weight	1200 g/m <sup>2</sup>
Total weight	3,7 kg/m <sup>2</sup>
Overall thickness	10 mm

## TESTS

Absorption capacity	TNO W6034	4 l/m <sup>2</sup>
Fire rating	EN 13501	ASTM D2859 passes DOC-FF-1-70
Static charge	ISO 6356	<0.1
Comfort class	EN 1307	LC3
Light Fastness	ISO 105 B02	5
Sustainability	Recyclable material, Contributes to a cleaner environment by reducing need of cleaning chemicals	
Surface flammability	ASTM D2859	Pass

## DIMENSIONS

Standard sizes	Full rolls	Custom lengths
60 cm x 90 cm	130 cm x 20 m	130 cm x linm
90 cm x 150 cm	130 cm x 20m	200 cm x linm
120 cm x 180 cm	200 cm x 20 m	
130 cm x 300 cm		
130 cm x 600 cm		