

TEST REPORT

APPLICANT : LEISUREYARD GROUP LIMITED

ADDRESS : YONGHE INDUSTRIAL ZONE, SHANGYU CITY,
ZHEJIANG PROVINCE, CHINA

SAMPLE DESCRIPTION : Resin Folding Chair

MODEL NO. : LY-SC005

MANUFACTURER : LEISUREYARD GROUP LIMITED

COUNTRY OF DESTINATION : EU

SAMPLE RECEIVED DATE : 13-Nov-2014

FURTHER INFORMATION DATE : 03-Dec-2014

TURN AROUND TIME : 03-Dec-2014 to 24-Dec-2014

TEST REQUESTED : Selected test(s) as requested by client

TEST METHOD : Please refer to next page(s)

TEST RESULTS : Please refer to next page(s)

The following test item(s) was/were performed on selected sample(s) and/or component(s) appointed by applicant.

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
Eurofins Product Testing Service (Shanghai) Co., Ltd



Terric Ji
Lab Manager

Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to sh.info@eurofins.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd.

SAMPLE PHOTO



EFSH14110806-CG-01

TO BE CONTINUED

TEST RESULT

Correlative test items of ANSI/BIFMA X5.1-2010 Proposed American National Standard for office furniture

— General-Purpose office chairs-tests (as per client's request)

1) Number of seat: one seat

2) Test result: details as following tables

Clause	Test Items/ Requirement		Rating
	Test Sequence No.		
8	Drop Test- Dynamic		
	8.4.1	Functional Load Test There shall be no loss of serviceability.	Pass
	8.4.2	Proof Load Test There shall be no sudden and major change in the structural integrity of the chair. Loss of serviceability is acceptable.	Pass
11	Seating Durability Tests-Cyclic		
	11.3	Impact Test There shall be no loss of serviceability to the chair after completion of both the impact and load-ease tests.	Pass
	11.4	Front Corner Load-Ease Test-Cyclic-Off-center There shall be no loss of serviceability to the chair after completion of both the impact and load-ease tests.	Pass
16		Backrest Durability Test-Cyclic-Type II and III There shall be no loss of serviceability.	Pass

*** END OF THE REPORT ***